## **Amendments to the Claims:**

1. (currently amended) Collapsible A collapsible stroller with comprising a seat element (1), a seat back (2), a first mounting (3) for at least one front wheel (5), a second mounting (4) for at least two rear wheels (6), and a pushing device (8) and a folding device (7),

characterized in that wherein the seat element (1), the seat back (2) and the first (3) and the second mounting (4) are attached to the folding device (7) on one side to be able to pivot around it, that

the folding device (7) has pivot joints for pivoting of the seat element (1), the seat back (2) and the first (3) and the second mounting (4), and that

the folding device (7) has a first position which corresponds to the operating position of the stroller, and a second position in which the stroller is collapsed.

- 2. (currently amended) Stroller A stroller as claimed in claim 1, wherein the folding device can be fixed in the first position, and, wherein for collapsing the stroller out of the first into the second position, there is further comprising a release mechanism for simultaneous release of simultaneously releasing at least two elements from the group of the seat (1), the seat back (2), the first (3) and the second mounting (4) and the pushing device (8).
- 3. (currently amended) Stroller A stroller as claimed in claim 1 or 2, wherein there is further comprising a release mechanism for simultaneous release of simultaneously releasing the seat (1), the seat back (2), the first (3) and the second mounting (4) and the pushing device (8).
- 4. (currently amended) Stroller A stroller as claimed in one of claims 2 or 3 claim 1, wherein the release mechanism comprises a Bowden cable (25).
- 5. (currently amended) Stroller A stroller as claimed in one of claims 1 to 4 claim 1, wherein, in the collapsed position, the seat element (1), the seat back (2) and the first (3) and the second mounting (4) are arranged roughly parallel to one another, protruding from the folding device (7).

- 6. (currently amended) Stroller A stroller as claimed in one of claims 1 to 5 claim 1, wherein the seat element (1), the seat back (2) and the first (3) and the second mounting (4) in the operating position are arranged roughly in a star shape around the folding device (7).
- 7. (currently amended) Stroller A stroller as claimed in one of claims 1 to 6 claim 1, wherein in the operating position the angles between the seat element (1), the seat back (2) and the first (3) and the second mounting (4) can be continuously fixed or can be selected between from a given number of positions.
- 8. (currently amended) Stroller A stroller as claimed in one of claims 1 to 7 claim 1, wherein the pivot joints of the seat element (1), the seat back (2) and the first (3) and the second mounting (4) are located flush on an axis of rotation.
- 9. (currently amended) Stroller A stroller as claimed in one of claims 1 to 7 claim 1, wherein the pivot joints of the seat element (1), the seat back (2) and the first (3) and the second mounting (4) are located flush on two or three parallel axes of rotation which run parallel.
- 10. (currently amended) Stroller A stroller as claimed in one of claims 1 to 9 claim 1, wherein there is further comprising a stop for limiting the pivoting motion for at least one of the elements of the group of the seat (1), the seat back (2) and the first (3) and the second mounting (4).
- 11. (currently amended) Stroller A stroller as claimed in one of claims 1 to 10 claim 10, wherein the stroller has further comprising means for fixing the stroller in the collapsed position.
- 12. (currently amended) Stroller A stroller as claimed in one of claims 1 to 11 claim 1, wherein the seat back (2) has projections (17) for supporting the stroller in the collapsed operating position.

- 13. (currently amended) Stroller A stroller as claimed in one of claims 1 to 12 claim 1, wherein there is further comprising at least one carrying handle (13) for carrying the stroller in the collapsed position.
- 14. (currently amended) Stroller A stroller as claimed in one of claims 1 to 12 claim 13, wherein at least one carrying handle (13) for carrying the stroller in the collapsed position the carrying handle is attached laterally to the seat element (1), to the seat back (2) or to one of the mountings (3, 4).
- 15. (currently amended) Stroller A stroller as claimed in one of claims 1 to 14 claim 1, wherein further comprising a footrest (9) is attached to the first mounting (3).
- 16. (currently amended) Stroller A stroller as claimed in one of claims 1 to 15 claim 1, wherein the pushing device (8) is attached to the seat back (2).
- 17. (currently amended) Stroller A stroller as claimed in one of claims 1 to 15 claim 1, wherein the pushing device (8) is pivotally attached to the folding device (7) to be able to pivot.
- 18. (currently amended) Stroller A stroller as claimed in one of claims 1 to 17 claim 1, wherein the pushing device (8) can be adjusted in length.
- 19. (currently amended) Stroller A stroller as claimed in one of claims 1 to 18 claim 1, wherein, in the collapsed position, the lower surface of the seat element (1) and the first mounting (3) are the outer sides of the stroller.
- 20. (currently amended) Stroller A stroller as claimed in claims claim 19, wherein the seat element (1) has a folding or telescoping extension (10).

- 21. (currently amended) Stroller A stroller as claimed in one of claims 1 to 20 claim 1, wherein the front wheels (5) and/or the rear wheels (6) can be pivoted by roughly 900 90° against the stroller.
- 22. (currently amended) Stroller A stroller as claimed in one of claims 1 to 21 claim 1, wherein the front wheels (5) and/or the rear wheels (6) in the collapsed position are arranged projecting project beyond the other elements and can be used to push or pull the stroller.
- 23. (currently amended) Stroller A stroller as claimed in one of claims 1 to 22 claim 1, wherein there are further comprising protective coverings (14) for the stroller in the collapsed position.